

# Package ‘PCFAM’

October 12, 2022

**Type** Package

**Title** Computation of Ancestry Scores with Mixed Families and Unrelated Individuals

**Version** 1.0

**Date** 2017-03-20

**Author** Yi-Hui Zhou

**Maintainer** Yi-Hui Zhou <yihui\_zhou@ncsu.edu>

**Description** We provide several algorithms to compute the genotype ancestry scores (such as eigenvector projections) in the case where highly correlated individuals are involved.

**License** GPL-2

**LazyLoad** yes

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2017-03-24 19:10:36 UTC

## R topics documented:

PCFAM-package . . . . .	2
colcenter . . . . .	3
cov.function . . . . .	3
familyave . . . . .	4
fastcov . . . . .	5
findfamilies . . . . .	6
gr.pca . . . . .	6
ms.pca . . . . .	7
mysqrtm . . . . .	8
perfectwhiten . . . . .	9
residualize . . . . .	10
rowcol . . . . .	11
rowscale . . . . .	12

<b>Index</b>	<b>13</b>
--------------	-----------

---

PCFAM-package

*Computation of ancestry scores with mixed families and unrelated individuals*

---

## Description

This package provides ancestry scores based on genotype data, and is robust to the presence of close-degree family members. Four main novel algorithms are represented: (i) Geometric rotation (within-family data orthogonalization); (ii) matrix substitution based on the decomposition of a target family-orthogonalized covariance matrix; (iii) covariance-preserving whitening, retaining covariances between unrelated pairs while orthogonalizing family members (Note: the function [perfectwhiten](#) generates a new dataset which keeps the same covariance structure as the original set); (iv) using family-averaged data to obtain loadings for projection of family members.

## Details

Package: PCFAM  
Type: Package  
Version: 1.0  
Date: 2016-10-11  
License: GPL 2  
LazyLoad: yes

## Author(s)

Yi-Hui Zhou

Maintainer: Yi-Hui Zhou <yihui\_zhou@ncsu.edu>

## References

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416

## Examples

```
X <- matrix(rbinom(1000*20,2,0.4),1000,20)
X[,1]=X[,2]*0.9
X=rowScale(X)
Xresid=residualize(X)
corXresid=cor(Xresid)
myfam=findfamilies(corXresid,0.1)
K=3
myms.pca=ms.pca(X,corXresid,0.1,K)
familyave.result=familyave(X,myfam,top=K)
```

---

colcenter	<i>column centering of the data matrix</i>
-----------	--

---

**Description**

This function centerizes each column of the data matrix

**Usage**

```
colcenter(X)
```

**Arguments**

X                    input data matrix

**Value**

return the data matrix with each column centered

**Author(s)**

Yi-Hui Zhou

**References**

Computation of ancestry scores with mixed families and unrelated individuals. Yi-Hui Zhou, J.S. Marron, Fred Wright, arXiv:1606.08416.

---

cov.function	<i>Sample covariance calculator</i>
--------------	-------------------------------------

---

**Description**

Obtain a sample covariance matrix

**Usage**

```
cov.function(data.matrix)
```

**Arguments**

data.matrix        Input mxn data matrix

**Value**

return the nxn sample covariance matrix

**Author(s)**

Yi-Hui Zhou

**References**

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416.

**Examples**

```
X <- matrix(rbinom(1000*20,2,0.4),1000,20)
cov.X=cov.function(X)
```

---

familyave

*Family average approach*

---

**Description**

This function implements the family-averaging algorithm, with loadings based on the combined data from singletons and family averages, then projected to all.

**Usage**

```
familyave(Xall,myfam, top = 5)
```

**Arguments**

Xall	The original input genotype dataset
myfam	The identified family IDs. Each singleton forms his/her own family.
top	The number ancestry scores desired.

**Details**

The function averages the genotype information in each family, re-inflates to have appropriate variability, and treats as a 'singleton' for the purpose of loading calculation. Ancestry scores are obtained by projection to all.

**Value**

Output the top ancestry scores by combining family data with singletons

**Author(s)**

Yi-Hui Zhou

**References**

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416.

**Examples**

```
X <- matrix(rbinom(1000*20,2,0.4),1000,20)
X[,1]=X[,2]*0.9
X=rowScale(X)
Xresid=residualize(X)
corXresid=cor(Xresid)
myfam=findfamilies(corXresid,0.1)
K=3
familyave.result=familyave(X,myfam,top=K)
```

---

fastcov

*Fast covariance function*

---

**Description**

This function can generate covariance matrix faster than the regular cov() function.

**Usage**

```
fastcov(X)
```

**Arguments**

X                   input mxn data matrix

**Value**

Output nxn covariance matrix

**Note**

The input data matrix has to be column scaled in advance.

**Author(s)**

Yi-Hui Zhou,

**References**

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416.

---

findfamilies	<i>Find families</i>
--------------	----------------------

---

**Description**

This function searches for pairs of individuals with high kinship based on the genotype correlation matrix.

**Usage**

```
findfamilies(x, threshold = 0.4)
```

**Arguments**

x	The nxn correlation matrix of the input dataset.
threshold	This threshold is used to identify close-degree relatives. Recommended values are 0.4 to identify first-degree relatives, and 0.15 to identify first- and second-degree relatives.

**Value**

Output numerical family ID for each individual. Individuals with the same ID are judged to be family members.

**Author(s)**

Yi-Hui Zhou

**References**

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416.

---

gr.pca	<i>The geometric rotation approach</i>
--------	--

---

**Description**

This algorithm rotates scaled genotypes among family members so that they are mutually orthogonal.

**Usage**

```
gr.pca(data.input, index.family, myfam, weight, top, family.size, inflation)
```

**Arguments**

data.input	Input dataset, each row is for a genetic feature (SNP), each column is for individual. Data are typically number of minor alleles, possibly imputed.
index.family	Index vector to indicate the family id of each individual.
myfam	This value comes directly from the output of findfamilies().
weight	Weight is 0 by default. This is a deprecated weight value that can be used to control the amount of rotation performed. A weight of zero performs full orthogonalization, while a weight of 1 keeps the data unchanged.
top	The number of eigenvectors to be used.
family.size	The number of members in each family. Used to determine rotation angles.
inflation	The inflation of the data value is 0 under default. Deprecated.

**Value**

data.new	The new datamatrix after the geometric rotation
topPCs	The top eigenvectors
topEigenvalue	The top eigenvalues.

**Author(s)**

Yi-Hui Zhou

**References**

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416.

---

ms.pca *The matrix substitution approach*

---

**Description**

This function provides the matrix substitution algorithm. The main idea is to replace the high covariance value entries in the covariance matrix which are produced by family members by a small value (e.g. median covariance).

**Usage**

```
ms.pca(X, corXresid, threshold, top)
```

**Arguments**

X	The input data matrix
corXresid	The correlation of the genotypes after residualization for any evidence of larger scale ancestry. Used to identify close-degree family members in a manner robust to large-scale ancestry.
threshold	Covariance values of identified family members are set to the threshold.
top	The number of ancestry scores to obtain.

**Value**

eigenvector	Eigenvectors after using the matrix substitution method
myeigen	The top eigenvalues and eigenvectors

**Author(s)**

Yi-Hui Zhou

**References**

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416.

---

mysqrtm	<i>Matrix square root function</i>
---------	------------------------------------

---

**Description**

This function can find the matrix square root, without requiring a new package and often faster than other code.

**Usage**

```
mysqrtm(a, symmetric = F)
```

**Arguments**

a	The input matrix
symmetric	Default=FALSE. This argument indicates whether the input matrix is symmetric.

**Details**

Matrix B is said to be a square root of A if the matrix product BB is equal to A.

**Value**

returns the square root matrix B



---

perfectwhiten                      *The covariance preserving whitening function.*

---

### Description

This algorithm generates a new scaled 'genotype' dataset which keeps the same covariance structure as the original data, except that family members have been made orthogonal to each other, and singletons are unchanged.

### Usage

```
perfectwhiten(Xun, Xfam, delta = 3e-04, threshold = 0.35, eta = NULL, addfuzz = F)
```

### Arguments

Xun	A matrix of (possibly scaled) genotypes, (number of SNPs)*(number of singletons)
Xfam	A matrix of (possibly scaled) genotypes, (number of SNPs)*(number of individuals belonging to families)
delta	A slight offset used to ensure that the target covariance matrix is of full rank
threshold	The correlation threshold used to determine pairs of relatives. The choice should be less than the degree desired. For example, 0.35 captures first degree relatives (expected correlation 0.5), 0.15 captures first and second degree relatives (expected correlation for second degree relatives is 0.25).
eta	This argument is the replacement value used for matrix substitution. The default is NULL, resulting in substitution by the median.
addfuzz	The default is FALSE. Deprecated.

### Value

Xplusscaled	The row-scaled full genotype data, including both singletons and family members
Y	The (scaled) genotype matrix after whitening, and should have a covariance matrix very close to Mtarget. Column means are zero
Ynotcolcentered	The same as Y, but with column means matching those of Xplusscaled
M	The covariance matrix of the full data
Mtilde	The covariance matrix after matrix substitution of all family pairs identified with correlations exceedingeta
whichbig	The set of indexes of M that have correlation exceeding threshold
covY	The covariance matrix of Y, useful to compare to M or to Mtarget

### Author(s)

Yi-Hui ZHou, Fred A. Wright

## References

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416.

## Examples

```
X <- matrix(rbinom(1000*20,2,0.4),1000,20)
X[,1]=X[,2]*0.9
X=rowScale(X)
Xresid=residualize(X)
library(PCFAM)
corXresid=cor(Xresid)
myfam=findfamilies(corXresid,0.1)
K=3
perfect.result=perfectwhiten(X[,which(myfam==0)],X[,which(myfam==1)])
```

---

residualize

*Residualization and scale of the original genotype data*

---

## Description

This function performs a simple residualization of a row-scaled genotype dataset, removing large-scale population stratification. Output is a residualized dataset appropriate for computing correlations such that family members can be easily identified. The function assumes X is row-scaled

## Usage

```
residualize(X)
```

## Arguments

X                    The original input genotype dataset

## Details

This function pre-treatment the data before applying the findfamily function.

## Value

Outputs the new row-scaled genotype matrix after residualization

## Author(s)

Yi-Hui Zhou

## References

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416.

---

rowcol	<i>Indicators for of the row and column of the original matrix</i>
--------	--

---

**Description**

This function identifies the rows and columns of elements in a matrix, e.g. the family members identified based on the correlation matrix.

**Usage**

```
rowcol(I, J, elements)
```

**Arguments**

I	The number of rows of the matrix (scalar)
J	The number of columns of the matrix (scalar)
elements	A vector of matrix element indexes

**Value**

whichrow	The rows of elements in the matrix
whichcol	The columns of elements in the matrix

**Author(s)**

Yi-Hui ZHou, Fred A. Wright

**References**

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416.

**Examples**

```
X <- matrix(rbinom(1000*20,2,0.4),1000,20)
X[,1]=X[,2]*0.9
X=rowScale(X)
```

---

`rowscale`*Scale each row of a matrix*

---

**Description**

This function scales the input matrix so that each row mean is 0 and each row (sample) variance is 1.

**Usage**

```
rowscale(X)
```

**Arguments**

`X` input data matrix

**Value**

Output the row-scaled matrix.

**Author(s)**

Yi-Hui ZHou, Fred A. Wright

**References**

Computation of ancestry scores with mixed families and unrelated individuals. arXiv:1606.08416.

# Index

colcenter, 3  
cov.function, 3

familyave, 4  
fastcov, 5  
findfamilies, 6

gr.pca, 6

ms.pca, 7  
mysqrtm, 8

PCFAM (PCFAM-package), 2  
PCFAM-package, 2  
perfectwhiten, 2, 9

residualize, 10  
rowcol, 11  
rowscale, 12