

Package ‘juicyjuice’

November 10, 2022

Title Inline CSS Properties into HTML Tags Using 'juice'

Version 0.1.0

Description There are occasions where you need a piece of HTML with integrated styles. A prime example of this is HTML email. This transformation involves moving the CSS and associated formatting instructions from the style block in the head of your document into the body of the HTML. Many prominent email clients require integrated styles in HTML email; otherwise a received HTML email will be displayed without any styling. This package will quickly and precisely perform these CSS transformations when given HTML text and it does so by using the JavaScript 'juice' library.

License MIT + file LICENSE

URL <https://github.com/rich-iannone/juicyjuice>

BugReports <https://github.com/rich-iannone/juicyjuice/issues>

Encoding UTF-8

RoxygenNote 7.2.1

Imports V8 (>= 4.2.0)

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Richard Iannone [aut, cre, cph]
(<https://orcid.org/0000-0003-3925-190X>),
Automattic [cph] (juice library),
juice contributors [ctb] (juice library)

Maintainer Richard Iannone <riannone@me.com>

Repository CRAN

Date/Publication 2022-11-10 19:00:02 UTC

R topics documented:

css_inline	2
Index	3

`css_inline`*Perform CSS inlining with HTML*

Description

Given an HTML string, the `css_inline()` function will render that into HTML with CSS inlined into the `style` attribute of HTML tags.

Usage

```
css_inline(html)
```

Arguments

`html` HTML provided as a string.

Value

A character vector of length one which contains the transformed HTML text.

Examples

```
# Take an HTML string and inline the CSS into the tags
css_inline(html = "<style>div{color:blue;}</style><div/>")
```

Index

`css_inline`, 2