

# Package ‘mbrglm’

October 13, 2022

**Type** Package

**Title** Median Bias Reduction in Binomial-Response GLMs

**Version** 0.0.1

**Date** 2017-02-05

**Author** Euloge Clovis Kenne Pagui, Nicola Sartori and Alessandra Salvan

**Maintainer** Euloge C. Kenne Pagui <kenne@stat.unipd.it>

**Description** Fit generalized linear models with binomial responses using a median modified score approach (Kenne Pagui et al., 2016, <<https://arxiv.org/abs/1604.04768>>) to median bias reduction. This method respects equivariance under reparameterizations for each parameter component and also solves the infinite estimates problem (data separation).

**License** GPL-2

**Suggests** brglm

**Depends** R (>= 2.6.0), nleqslv, enrichwith

**NeedsCompilation** yes

**Repository** CRAN

**Date/Publication** 2017-02-05 16:07:53

## R topics documented:

endo . . . . .	2
mbrglm . . . . .	2
mbrglm.control . . . . .	7

<b>Index</b>	<b>9</b>
--------------	----------

---

endo *Endometrial cancer grade*

---

### Description

Study of 79 primarily diagnosed cases of endometrial cancer in order to explain the histology of the endometrium by putative risk factors. The endo data frame has 79 rows and 4 columns. Variable histology, HG. Three risk factors: variable neovascularization, NV, variable pulsatility index, PI and variable endometrium height, EH.

### Usage

```
data("endo")
```

### Format

A data frame with 79 observations on the following 4 variables.

NV a factor with two levels 1 (present) and 0 (absent)

PI pulsatility index of arteria uterina

EH endometrium height

HG a factor with two levels classified as either 0 (grading 0-II) or 1 (grading III-IV)

### Source

Agresti, A. (2015). *Foundations of Linear and Generalized Linear Models*. John Wiley & Sons.

### Examples

```
data(endo)
glm(HG~NV+PI+EH, family=binomial, data=endo)
mbrglm(HG~NV+PI+EH, family=binomial, data=endo)
```

---

mbrglm *Median Bias Reduction in Binomial-Response GLMs*

---

### Description

Fits binomial-response GLMs using the median bias-reduction method proposed in Kenne Pagui et al. (2016, Section 3). The proposed method is obtained by modifying the score equation in such a way that the solution is an approximately median unbiased estimator for each parameter component. The median bias-reduction method enjoys several good properties with respect to the maximum likelihood. In particular, the resulting estimator is component-wise median unbiased with an error of order  $O(n^{-1})$  and is equivariant under joint reparameterizations that transform each parameter component separately. It has the same asymptotic distribution as the maximum likelihood estimator. Moreover, the resulting estimates and their corresponding standard errors are always finite while the maximum likelihood estimates can be infinite in situations where complete or quasi separation occurs.

**Usage**

```
mbrglm(formula, family = binomial, data, weights, subset, na.action, start = NULL,
  etastart, mustart, offset, model = TRUE, method = "mbrglm.fit", x = FALSE,
  y = TRUE, contrasts = NULL, control.glm = glm.control(),
  control.mbrglm = mbrglm.control(), ...)
```

```
mbrglm.fit(x, y, weights = rep(1, nobs), start = NULL, etastart = NULL, mustart = NULL,
  offset = rep(0, nobs), family = binomial(), control = glm.control(),
  control.mbrglm = mbrglm.control(), intercept = TRUE)
```

**Arguments**

formula	an object of class <a href="#">formula</a> (or one that can be coerced to that class): a symbolic description of the model to be fitted.
family	a description of the error distribution and link function to be used in the model. For <code>glm</code> this can be a character string naming a family function, a family function or the result of a call to a family function. For <code>mbrglm.fit</code> only the third option is supported. (See <a href="#">family</a> for details of family functions.) <code>mbrglm</code> currently supports only the "binomial" family with links "logit", "probit", "cloglog".
data	an optional data frame, list or environment (or object coercible by <a href="#">as.data.frame</a> to a data frame) containing the variables in the model. If not found in data, the variables are taken from <code>environment(formula)</code> , typically the environment from which <code>glm</code> is called.
weights	an optional vector of 'prior weights' to be used in the fitting process. Should be <code>NULL</code> or a numeric vector.
subset	an optional vector specifying a subset of observations to be used in the fitting process.
na.action	a function which indicates what should happen when the data contain NAs. The default is set by the <code>na.action</code> setting of <a href="#">options</a> , and is <code>na.fail</code> if that is unset. The 'factory-fresh' default is <code>na.omit</code> . Another possible value is <code>NULL</code> , no action. Value <code>na.exclude</code> can be useful.
start	starting values for the parameters in the linear predictor.
etastart	starting values for the linear predictor.
mustart	starting values for the vector of means.
offset	this can be used to specify an a priori known component to be included in the linear predictor during fitting. This should be <code>NULL</code> or a numeric vector of length equal to the number of cases. One or more <a href="#">offset</a> terms can be included in the formula instead or as well, and if more than one is specified their sum is used. See <a href="#">model.offset</a> .
control	a list of parameters for controlling the fitting process. For <code>glm.fit</code> this is passed to <a href="#">glm.control</a> .
intercept	logical. Should an intercept be included in the null model?
model	a logical value indicating whether model frame should be included as a component of the returned value.

method	the method to be used for fitting the model. The unique method is "mbrglm.fit", which uses the median modified score function to estimate the parameters.
x	For mbrglm: logical values indicating whether the model matrix used in the fitting process should be returned as components of the returned value.
y	For mbrglm: logical values indicating whether the response vector used in the fitting process should be returned as components of the returned value.
contrasts	an optional list. See the contrasts.arg of model.matrix.default.
control.glm	control.glm replaces the control argument in glm but essentially does the same job. It is a list of parameters to control glm.fit. See the documentation of glm.control1 for details.
control.mbrglm	a list of parameters for controlling the fitting process when method="mbrglm.fit". See documentation mbrglm.control for details.
...	additional arguments passed to or from other methods.

### Details

mbrglm.fit is the workhorse function for fitting the model using the median bias-reduction method. The main iteration of mbrglm.fit consists to calculate the required quantities for the construction of the modified iterative re-weighted least square which involves the modification term of the score function in the adjusted dependent variable.

Iteration is repeated until either the iteration limit has been reached or the Euclidean distance of the median modified scores is less than some specified positive constant (see the mbr.maxit and mbr.epsilon arguments in mbrglm.control).

### Value

mbrglm returns an object of class "mbrglm". A "mbrglm" object inherits first from "glm" and then from "lm" and is a list containing the following components:

coefficients	a named vector of coefficients.
residuals	Pearson's residual in the final iteration of the IWLS fit. Since cases with zero weights are omitted, their working residuals are NA.
fitted.values	the fitted mean values, obtained by transforming the linear predictors by the inverse of the link function.
rank	the numeric rank of the fitted linear model.
family	the family object used.
linear.predictors	the linear fit on link scale.
deviance	up to a constant, minus twice the maximized log-likelihood. Where sensible, the constant is chosen so that a saturated model has deviance zero.
null.deviance	The deviance for the null model, comparable with deviance. The null model will include the offset, and an intercept if there is one in the model. Note that this will be incorrect if the link function depends on the data other than through the fitted mean: specify a zero offset to force a correct calculation.
weights	the working weights, that is the weights in the final iteration of the IWLS fit.

prior.weights	the weights initially supplied, a vector of 1s if none were.
df.residual	the residual degrees of freedom.
df.null	the residual degrees of freedom for the null model.
y	if requested (the default) the y vector used. (It is a vector even for a binomial model.)
x	if requested, the model matrix.
converged	logical. Was the modified IWLS algorithm judged to have converged?
boundary	logical. Is the fitted value on the boundary of the attainable values?
ModifiedScores	the vector of the median modified scores for the parameters at the final iteration.
FisherInfo	the Fisher information matrix evaluated at the resulting estimates. Only available when method = "mbrglm.fit".
FisherInfoInvs	the inverse of Fisher information matrix evaluated at the resulting estimates.
nIter	the number of iterations that were required until convergence. Only available when method = "mbrglm.fit".
model	if requested (the default), the model frame.
formula	the formula supplied.
terms	the terms object used.
data	the data argument.
offset	the offset vector used.
control.mbrglm	the control.mbrglm argument that was passed to mbrglm. Only available when method = "mbrglm.fit".
contrasts	(where relevant) the contrasts used.

### Note

1. 'mbrglm' and 'mbrglm.fit' were written using as basis structure the code of 'brglm' and 'brglm.fit', respectively. The functions 'brglm' and 'brglm.fit' are implemented in the R package brglm version 0.5-9 by Ioannis Kosmidis. While, 'print.mbrglm', 'summary.mbrglm' and 'print.summary.mbrglm' are modifications of 'print.glm', 'summary.glm' and 'print.summary.glm', respectively.

### Author(s)

Euloge Clovis Kenne Pagui, <kenne@stat.unipd.it>, Alessandra Salvan, <salvan@stat.unipd.it> and Nicola Sartori, <sartori@stat.unipd.it>

### References

Kenne Pagui, E. C., Salvan, A. and Sartori, N. (2016). Median bias reduction of maximum likelihood estimates. <http://arxiv.org/abs/1604.04768>.

### See Also

brglm, brglm.fit, glm, glm.fit

**Examples**

```

## First example
library(brglm)
data(endo)
# Fit the GLM using maximum likelihood
endo.glm <- glm(HG~NV+PI+EH,family=binomial,data=endo)
## Mean bias-reduced fit
endo.brglm<-brglm(HG~NV+PI+EH,family=binomial,data=endo)
## Median bias-reduced fit
endo.mbrglm<-mbrglm(HG~NV+PI+EH,family=binomial,data=endo)
endo.glm
endo.brglm
endo.mbrglm

# Now other links
update(endo.mbrglm, family = binomial(probit))
update(endo.mbrglm, family = binomial(cloglog))

##-----
## paper by Andrey Gelman et al. 2008. Annals of applied Statistics.
## application to binomial
## example 4.2
##-----

# first way

x<-c(-0.86,-0.30,-0.05,0.73)
z.x<- (1/sqrt(4))*(x-mean(x))/sqrt(var(x))
weights<-rep(5,4)
z<-c(0,1,3,5)
y=z/weights
fit.glm<-glm(y~z.x,family=binomial,weights=weights)
fit.brglm<-brglm(y~z.x,family=binomial,weights=weights)
fit.mbrglm<-mbrglm(y~z.x,family=binomial,weights=weights)
fit.glm
fit.brglm
fit.mbrglm

# in alternative
fit.glm<-glm(cbind(z,weights-z)~z.x,family=binomial)
fit.brglm<-brglm(cbind(z,weights-z)~z.x,family=binomial)
fit.mbrglm<-mbrglm(cbind(z,weights-z)~z.x,family=binomial)
fit.glm
fit.brglm
fit.mbrglm

##-----
## Rasch model: 100 subjects and 5 items
##-----

I <- 5
S <- 100

```

```
## function to generate data
gendata.M <- function(gamma, alpha, beta)
{
  I <- length(alpha)
  S <- length(gamma)
  data.y <- matrix(0, nrow=S, ncol=I)
  for(i in 1:I)
  {
    mui <- plogis(alpha[i] + gamma * beta[i])
    data.y[,i] <- rbinom(S, size=1, prob=mui)
  }
  return(data.y)
}

alphas <- c(0.0, 0.7, 1.6, 0.6, -0.5)
betas <- rep(1,I)
gammas <- rnorm(S)

y <- gendata.M(gammas,alphas,betas)

y.dat <- data.frame(y=y[1:(S*I)],subject=factor(rep(1:S,I)),item=factor(rep(1:I,each=S)))

## Not run:
fit.glm <- glm(y~subject-1+item,family=binomial,data=y.dat)
fit.brglm <- brglm(y~subject-1+item,family=binomial,data=y.dat)
fit.mbrglm <- mbrglm(y~subject-1+item,family=binomial,data=y.dat)

## End(Not run)
summary(fit.glm)
summary(fit.brglm)
summary(fit.mbrglm)
```

---

mbrglm.control

*Auxiliary for Controlling MBGLM Fitting*

---

## Description

Auxiliary function as user interface for `mbrglm` fitting. Typically only used when calling `mbrglm` or `mbrglm.fit`.

## Usage

```
mbrglm.control(mbr.epsilon = 1e-06, mbr.maxit = 500,
  mbr.trace = FALSE, ...)
```

**Arguments**

<code>mbr.epsilon</code>	positive convergence tolerance for the iteration described in <code>mbrglm.fit</code> .
<code>mbr.maxit</code>	integer giving the maximum number of iterations for the iteration in <code>mbrglm.fit</code> .
<code>mbr.trace</code>	logical indicating if output should be produced for each iteration.
<code>...</code>	further arguments passed to or from other methods.

**Details**

The control argument of `mbrglmis` by default passed to the control argument of `mbrglm.fit`, which uses its elements as arguments to `glm.control`: the latter provides defaults.

If `mbr.trace=TRUE`, calls to `cat` produce the iteration number, the parameter estimates and the current value of the modified scores for each iteration.

**Value**

A list with the arguments as components.

**Author(s)**

Euloge Clovis Kenne Pagui, <kenne@stat.unipd.it>, Alessandra Salvan, <salvan@stat.unipd.it> and Nicola Sartori, <sartori@stat.unipd.it>

**References**

Kenne Pagui, E. C., Salvan, A. and Sartori, N. (2016). Median bias reduction of maximum likelihood estimates. <http://arxiv.org/abs/1604.04768>.

**See Also**

`mbrglm.fit`, the fitting procedure used by `mbrglm`.



# Index

- \* **datasets**
  - endo, 2
- \* **iteration**
  - mbrglm, 2
  - mbrglm.control, 7
- \* **models**
  - mbrglm, 2
- \* **regression**
  - mbrglm, 2

as.data.frame, 3

cat, 8

endo, 2

family, 3, 4

formula, 3

glm, 4, 5

glm.control, 3

glm.fit, 4, 5

mbrglm, 2, 4, 7, 8

mbrglm.control, 4, 7

mbrglm.fit, 7, 8

model.offset, 3

na.exclude, 3

na.fail, 3

na.omit, 3

offset, 3

options, 3

print.mbrglm(mbrglm), 2

print.summary.mbrglm(mbrglm), 2

summary.mbrglm(mbrglm), 2